

2019 TRWA Sampling Results for Nitrate (mg/l)			TARGET FOR CONCERN - GREATER THAN 0.4 MG/L								
Sample	Site No.	River & Location Description	April	May	June	July	August	Sept.	Oct.	AVG**	
1	TNT-01	Taunton R. Br, Center St., Berkley	0.36	0.34	0.48	0.73	0.29	0.49	0.76	0.51	
2	TNT-02	Taunton R. Br, Plain St., Taunton	0.37	0.32	0.33	0.51	0.75	0.88	0.92	0.62	
3	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	0.39	0.32	0.41	0.45	0.48	0.57	1.04	0.54	
4	CHE-01/TNT-04	Taunton R. Br, Cherry St., Bridgewater	0.49	0.50	0.82	1.08	1.26	1.22	2.50	1.23	
5	ASO-01	Assonet R. Bridge, Rt 79	NS	0.07	0.08	0.09	0.08	0.06	0.05	0.07	
6	SEG	Segregansett R. Br, Brook St. Dighton	0.15	0.11	0.27	0.40	0.42	0.13	0.05	0.23	
7	BER-01	Chuckamucksett Brk. Br, Berkley St.	0.43	0.25	0.90	1.30	0.51	1.29	0.96	0.87	
8	TMR-01	Three Mile R. Br, Rt 138, Somerset Ave.	0.34	0.31	0.31	0.38	0.54	0.79	0.65	0.50	
9	TMR-02	Three Mile R. Br, Rt 44, Cohannet St.	0.31	0.32	0.30	0.41	0.37	0.55	0.85	0.47	
10	TMR-03	Three Mile R. Br, Crane St., Norton	0.25	0.23	0.21	0.21	0.14	0.12	0.13	0.17	
11	MIL-01	Mill R., Ingell St., Taunton	0.27	0.13	0.25	NS	0.53	0.49	0.28	0.34	
12	MIL-02	Mill R., Washington St., Taunton	0.25	0.12	0.21	NS	0.14	0.08	0.15	0.14	
13	MIL-03	Mill R., Whittendon St., Taunton	0.23	0.10	0.15	NS	0.06	0.05	0.06	0.08	
14	FORGE	Forge R. Br, Rt 44, Raynham	0.26	0.27	0.34	0.53	0.58	0.50	0.52	0.46	
15	COT-01	Cotley R., Middleboro Ave, Taunton	0.17	0.09	0.26	0.41	0.33	0.31	0.20	0.27	
16	FBR-01	Furnace Brk., River St., E. Taunton	0.23	0.22	0.24	0.25	0.46	0.67	0.40	0.37	
17	TBR-01	Tomson Brk., Highstone St., E. Taunton	0.14	0.05	<0.05	0.15	<0.05	0.05	0.05	0.07	
18	TWH-01	Town R., Br, Hayward St., Bridgewater	0.24	0.21	0.35	1.20	2.10	1.49	5.55	1.82	
19	MAT-01	Matfield R., Br, High St., Bridgewater	CoC	0.75	0.98	1.04	2.09	1.56	2.08	1.42	
20	NEM-01	Nemasket R., Murdock St., Middleboro	0.16	0.10	0.10	0.09	0.07	0.17	0.20	0.12	
		NS - Not Sampled; CoC - Lab Chain of Custody (CoC) Error (problem corrected for future sampling)							** Avg is for the water quality months		
Month	Site No.	Duplicate and Blank Locations by Month	DUP #	Duplicate Results	BL #	Blank Results	of May through October used in				
April	COT-01	Cotley R., Middleboro Ave, Taunton	DUP 1	0.14	BL 1	<0.05	NPDES permit TN limitation averaging.				
	BER-01	Chuckamucksett Brk. Br, Berkley St.	DUP 2	0.40	BL 2	<0.05					
May	SEG	Segregansett R. Br, Brook St. Dighton	DUP 1	0.11	BL 1	<0.05					
	FBR-01	Furnace Brk., River St., E. Taunton	DUP 2	0.21	BL 2	<0.05					
June	TNT-02	Taunton R. Br, Plain St., Taunton	DUP 1	0.33	BL 1	<0.05			Month	Sampling Date	
	ASO-01	Assonet R. Bridge, Rt 79	DUP 2	0.06	BL 2	<0.05			April	4/9/2019	
July	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	DUP 1	0.46	BL 1	<0.05			May	5/14/2019	
	SEG	Segregansett R. Br, Brook St. Dighton	DUP 2	0.40	BL 2	<0.05			June	6/18/2019	
August	MAT-01	Matfield R., Br, High St., Bridgewater	DUP 1	2.11	BL 1	<0.05			July	7/9/2019	
	TNT-02	Taunton R. Br, Plain St., Taunton	DUP 2	0.74	BL 2	<0.05			August	8/13/2019	
Sept.	MIL-01	Mill R., Ingell St., Taunton	DUP 1	0.49	BL 1	<0.05			Sept.	9/10/2019	
	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	DUP 2	0.57	BL 2	<0.05			Oct.	10/8/2019	
Oct.	TMR-02	Three Mile R. Br, Rt 44, Cohannet St.	DUP 1	0.84	BL 1	<0.05			Next sampling date in bold font.		
	NEM-01	Nemasket R., Murdock St., Middleboro	DUP 2	0.193	BL 2	<0.05			April	4/14/2020	

2019 TRWA Sampling Results for Total Phosphorus (mg/l)			TARGET FOR CONCERN - GREATER THAN 0.100 mg/l								
Sample	Site No.	River & Location Description	April	May	June	July	August	Sept.	Oct.	AVG**	
1	TNT-01	Taunton R. Br, Center St., Berkley	*	0.060	0.114	0.105	0.109	0.088	0.119	0.10	
2	TNT-02	Taunton R. Br, Plain St., Taunton	*	0.056	0.068	0.079	0.129	0.102	0.124	0.09	
3	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	0.038	0.062	0.075	0.095	0.053	0.057	0.054	0.07	
4	CHE-01/TNT-04	Taunton R. Br, Cherry St., Bridgewater	0.051	0.072	0.100	0.112	0.075	0.082	0.079	0.09	
5	ASO-01	Assonet R. Bridge, Rt 79	NS	0.027	0.039	0.085	0.063	0.043	0.021	0.05	
6	SEG	Segregansett R. Br, Brook St. Dighton	*	0.017	0.049	0.066	0.023	0.034	0.033	0.04	
7	BER-01	Chuckamucksett Brk. Br, Berkley St.	0.016	0.033	0.046	0.044	0.130	0.013	0.024	0.05	
8	TMR-01	Three Mile R. Br, Rt 138, Somerset Ave.	*	0.034	0.044	0.038	0.072	0.092	0.077	0.06	
9	TMR-02	Three Mile R. Br, Rt 44, Cohannet St.	*	0.035	0.049	0.048	0.029	0.021	0.031	0.04	
10	TMR-03	Three Mile R. Br, Crane St., Norton	*	0.041	0.040	0.033	0.039	0.022	0.035	0.04	
11	MIL-01	Mill R., Ingell St., Taunton	*	0.035	0.045	NS	0.050	0.054	0.037	0.04	
12	MIL-02	Mill R., Washington St., Taunton	*	0.023	0.038	NS	0.021	0.013	0.023	0.02	
13	MIL-03	Mill R., Whittendon St., Taunton	*	0.020	0.033	NS	0.020	0.016	0.024	0.02	
14	FORGE	Forge R. Br, Rt 44, Raynham	*	0.056	0.077	0.106	0.081	0.048	0.030	0.07	
15	COT-01	Cotley R., Middleboro Ave, Taunton	*	0.019	0.022	0.018	0.012	0.011	0.017	0.02	
16	FBR-01	Furnace Brk., River St., E. Taunton	*	0.027	0.033	0.022	0.028	0.018	0.029	0.03	
17	TBR-01	Tomson Brk., Highstone St., E. Taunton	*	0.032	0.026	0.052	0.082	0.019	0.052	0.04	
18	TWH-01	Town R., Br, Hayward St., Bridgewater	0.050	0.052	0.096	0.118	0.153	0.121	0.152	0.12	
19	MAT-01	Matfield R., Br, High St., Bridgewater	CoC	0.090	0.090	0.095	0.067	0.052	0.054	0.07	
20	NEM-01	Nemasket R., Murdock St., Middleboro	0.023	0.033	0.050	0.053	0.037	0.027	0.039	0.04	
*Samples lost due to preservation error HNO3 used instead of H2SO4 (problem corrected for future sampling)								** Avg is for the water quality months			
Duplicate and Blank Locations by Month			Duplicate Results			Blank Results			of May through October (season AVG).		
April	COT-01	Cotley R., Middleboro Ave, Taunton	DUP 1	0.117	BL 1	<0.0106	NPDES permits use TP mo. avg. limits.				
	BER-01	Chuckamucksett Brk. Br, Berkley St.	DUP 2	0.015	BL 2	0.077	Based on observations TRWA considers				
May	SEG	Segregansett R. Br, Brook St. Dighton	DUP 1	0.031	BL 1	0.024	a season AVG ≥ 0.05 mg/l is concern.				
	FBR-01	Furnace Brk., River St., E. Taunton	DUP 2	0.038	BL 2	<0.0106					
June	TNT-02	Taunton R. Br, Plain St., Taunton	DUP 1	0.071	BL 1	<0.0106			Month	Sampling Date	
	ASO-01	Assonet R. Bridge, Rt 79	DUP 2	0.044	BL 2	<0.0106			April	4/9/2019	
July	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	DUP 1	0.092	BL 1	0.0924 (?)			May	5/14/2019	
	SEG	Segregansett R. Br, Brook St. Dighton	DUP 2	0.072	BL 2	<0.0106			June	6/18/2019	
August	MAT-01	Matfield R., Br, High St., Bridgewater	DUP 1	0.057	BL 1	<0.0106			July	7/9/2019	
	TNT-02	Taunton R. Br, Plain St., Taunton	DUP 2	0.131	BL 2	<0.0106			August	8/13/2019	
Sept.	MIL-01	Mill R., Ingell St., Taunton	DUP 1	0.057	BL 1	<0.0106			Sept.	9/10/2019	
	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	DUP 2	0.048	BL 2	<0.0106			Oct.	10/8/2019	
Oct.	TMR-02	Three Mile R. Br, Rt 44, Cohannet St.	DUP 1	0.032	BL 1	0.0117			Next sampling date in bold font.		
	NEM-01	Nemasket R., Murdock St., Middleboro	DUP 2	0.041	BL 2	<0.0106			April	4/14/2020	

2019 Bacteria - Fecal Coliform (FC), Enterococci (EN) colonies/100 ml			FC* > 200	EN CONCERN - GREATER THAN 61 COLONIES/100 ML							
Sample	Site No.	River & Location Description	April	May	June	July	August	Sept.	Oct.	EN GEO MEAN May to Oct.	
1	TNT-01	Taunton R. Br, Center St., Berkley	10	190	130	170	20	30	30	65	
2	TNT-02	Taunton R. Br, Plain St., Taunton	20	420	110	130	10	60	140	89	
3	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	30	310	170	30	50	40	10	56	
4	CHE-01/TNT-04	Taunton R. Br, Cherry St., Bridgewater	180	1250	140	90	100	110	70	152	
5	ASO-01	Assonet R. Bridge, Rt 79	NS	270	70	80	90	40	30	74	
6	SEG	Segregansett R. Br, Brook St. Dighton	60	420	120	600	100	10	10	82	
7	BER-01	Chuckamucksett Brk. Br, Berkley St.	20	280	1170	130	120	190	660	294	
8	TMR-01	Three Mile R. Br, Rt 138, Somerset Ave.	20	130	170	300	190	160	60	152	
9	TMR-02	Three Mile R. Br, Rt 44, Cohannet St.	30	100	250	90	40	30	90	79	
10	TMR-03	Three Mile R. Br, Crane St., Norton	10	590	30	150	130	150	280	156	
11	MIL-01	Mill R., Ingell St., Taunton	10	160	1980	NS	40	130	1510	301	
12	MIL-02	Mill R., Washington St., Taunton	20	160	1530	NS	110	520	1010	427	
13	MIL-03	Mill R., Whittendon St., Taunton	20	260	850	NS	20	40	460	152	
14	FORGE	Forge R. Br, Rt 44, Raynham	10	700	670	480	160	240	330	377	
15	COT-01	Cotley R., Middleboro Ave, Taunton	10	1890	750	480	260	570	1320	715	
16	FBR-01	Furnace Brk., River St., E. Taunton	20	80	230	450	10	350	170	130	
17	TBR-01	Tomson Brk., Highstone St., E. Taunton	30	20	10	390	10	10	10	21	
18	TWH-01	Town R., Br, Hayward St., Bridgewater	20	700	110	110	100	1810	50	206	
19	MAT-01	Matfield R., Br, High St., Bridgewater	CoC	1540	130	70	50	140	90	144	
20	NEM-01	Nemasket R., Murdock St., Middleboro	20	70	290	30	10	130	70	62	
*Bacteriological analysis in April was fecal coliform, analysis for May to Oct. is enterococci			NS - no sample				** Geometric Mean for the six months				
Duplicate and Blank Locations by Month			Duplicate Results		Blank Results			from May to Oct. should not exceed			
April	COT-01	Cotley R., Middleboro Ave, Taunton	DUP 1	<10	BL 1		<10	33 colonies per 100 ml.			
	BER-01	Chuckamucksett Brk. Br, Berkley St.	DUP 2	<10	BL 2		<10				
May	SEG	Segregansett R. Br, Brook St. Dighton	DUP 1	530	BL 1		<10				
	FBR-01	Furnace Brk., River St., E. Taunton	DUP 2	60	BL 2		<10	Month		Sampling Date	
June	TNT-02	Taunton R. Br, Plain St., Taunton	DUP 1	110	BL 1		<10	April		4/9/2019	
	ASO-01	Assonet R. Bridge, Rt 79	DUP 2	70	BL 2		<10	May		5/14/2019	
July	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	DUP 1	50	BL 1		<10	June		6/18/2019	
	SEG	Segregansett R. Br, Brook St. Dighton	DUP 2	270	BL 2		<10	July		7/9/2019	
August	MAT-01	Matfield R., Br, High St., Bridgewater	DUP 1	30	BL 1		<10	August		8/13/2019	
	TNT-02	Taunton R. Br, Plain St., Taunton	DUP 2	10	BL 2		<10	Sept.		9/10/2019	
Sept.	MIL-01	Mill R., Ingell St., Taunton	DUP 1	130	BL 1		<10	Oct.		10/8/2019	
	BED-01/TNT-03	Taunton R., Rt 18, Bedford St., Bridgewater	DUP 2	40	BL 2		<10	Next sampling date in bold font.			
Oct.	TMR-02	Three Mile R. Br, Rt 44, Cohannet St.	DUP 1	120	BL 1		<10	April		4/14/2020	
	NEM-01	Nemasket R., Murdock St., Middleboro	DUP 2	100	BL 2		<10				

Sample Analysis, Collection Method - Standard Operating Procedures (SOP) and Instream Target Values									
Samples Are Analyzed by:									
Microbac, Dayville, CT					A MassDEP Certified Laboratory				
https://www.microbac.com/our-laboratories/dayville-connecticut/#services									
Samples Are Collected by Trained TRWA Volunteers Using An SOP Jointly Developed by TRWA and Veolia North America:									
http://savethetaunton.org/wp/wp-content/uploads/2019/03/TRWA-Sampling-SOP-3-16-2019.pdf									
Sampling Locations Map May Be Found At:									
https://www.google.com/maps/d/edit?mid=zhnldTn8bGeU.kyo7mqjZ3YFQ&usp=sharing									
Water Quality Protection Instream Target Values:									
Nitrate									
Water Quality Target Values for Nitrogen are expressed as <u>Total</u> Nitrogen = Nitrate + Organic Nitrogen + Ammonia + Nitrite									
Like most environmental groups TRWA measures only Nitrate because of its low cost (\$12 / sample) and low reporting level (0.05 mg/l). The MassDEP in a large number of TMDLs for estuaries has recommended <u>TN</u> values between 0.39 to 0.5 mg/l for estuaries <u>without eel grass</u> in good to fair condition. The Cape Cod Commission recommends values 0.34 to 0.39 while the Buzzards Bay Project/ Massachusetts Coastal Zone Management recommends 0.39 to 0.44 mg/l. After consultation with MassDEP and Rhode Island DEM (downstream state) EPA selected a TN target estuary value of 0.45 mg/l as a medium target for the Taunton River.									
Because Nitrate is <u>only a portion of Total Nitrogen</u> we consider Nitrate values > 0.4 mg/l high for both the tidal portion of the estuary below Route 24 at the Raynham/Taunton Bridge and above because of transport concerns to the salt waters of the estuary.									
Total Phosphorus									
The Water Quality Target Values for Total Phosphorus are 0.100 mg/l for freshwaters in free flowing streams and 0.050 mg/l in lakes, ponds, impoundments and streams tributary to them. These Targets are from the EPA Suggested Criteria for Water sometimes called the Gold Book.									
Based on observation and photos of the shallow effluent dominated freshwaters of the watershed TRWA considers average TP greater than 0.05 mg/l a value for concern in addition to single month samples > 0.100 mg/l.									
Bacteria - Enterococci									
The Water Quality Target Value used for enterococci is 61 colonies per 100 ml as a single sample maximum (SSM) and 33 colonies as geometric mean of all samples taken in the most recent six months. These targets are from the MA Water Quality Standards 314 CMR for Class B waters.									
For Class SB waters the criteria are: SSM - 104 colonies/100 ml and Geo Mean for the last 6 months of samples - 35 colonies/100 ml.									
TRWA sampling locations TNT-01 and TNT-02 are in SB waters all others are in Class B waters.									